

according to WHS Regulations

Printing date 06.08.2020

## 1 Identification

Product Name: DINON 700 WG

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Agricultural fungicide

**Details of Manufacturer or Importer:** Grochem Australia Suite 1, Lvl 3, 262 Lorimer Street, Port Melbourne, VIC 3207

Phone Number: 1800 777 068

Emergency telephone number: National Poison Information Centre: 13 11 26

## 2 Hazard(s) Identification

#### Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Acute Toxicity (Oral) 4 H302 Harmful if swallowed.

### Signal Word Warning

### Hazard Statements

H302 Harmful if swallowed. H410 Very toxic to aquatic life with long lasting effects.

#### **Precautionary Statements**

- P264 Wash thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P273 Avoid release to the environment.
- P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
- P330 Rinse mouth.
- P391 Collect spillage.
- P501 Dispose of contents/container in accordance with local/regional/national regulations.

# 3 Composition and Information on Ingredients

## **Chemical Characterization: Mixtures**

Description: Mixture of substances listed below with nonhazardous additions.

# Hazardous Components:

CAS: 3347-22-6 Dithianon (ISO)	🚸 Aquatic Chronic 1, H410; 🚸 Acute Toxicity (Oral) 4, H302	70%
	(Contd. or	n page 2)

Revision: 06.08.2020



according to WHS Regulations

Printing date 06.08.2020

### Product Name: DINON 700 WG

(Contd. of page 1)

Revision: 06.08.2020

## 4 First Aid Measures

### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. Seek medical attention if breathing problems develop.

### Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

### Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

#### Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

#### Symptoms Caused by Exposure:

Inhalation: No adverse health effects expected. Skin Contact: May cause skin irritation, redness and rash. Eye Contact: May cause eye irritation, redness and lachrymation. Ingestion: Harmful if swallowed.

## **5 Fire Fighting Measures**

Suitable Extinguishing Media: Use fire extinguishing methods suitable to surrounding conditions.

### Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon and hydrocarbons. This product is not flammable, but may burn or decompose in a fire. Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

### **Special Protective Equipment and Precautions for Fire Fighters:**

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

## 6 Accidental Release Measures

### Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved dust/particulate filter respirator and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust.

#### **Environmental Precautions:**

In the event of a major spill, prevent spillage from entering drains or water courses.

#### Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and sweep granules into a pile and shovel into drums for subsequent disposal. Avoid generating dust. Provide adequate ventilation.

# 7 Handling and Storage

## Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Page 2/6



according to WHS Regulations

Printing date 06.08.2020

## Product Name: DINON 700 WG

(Contd. of page 2)

Revision: 06.08.2020

### Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from heat, sparks, open flames and other sources of ignition. Keep away from oxidising agents and acids.

## **8 Exposure Controls and Personal Protection**

#### **Exposure Standards:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Ensure adequate ventilation of the working area.

#### **Respiratory Protection:**

Where an inhalation risk exists, wear a Class P1 (particulate) respirator. At high dust levels, wear a powered air purifying respirator (PAPR) with Class P3 (Particulate) filter or an air-line respirator or a full-face Class P3 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.

#### **Skin Protection:**

PVC or rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

### Eye and Face Protection:

Eye and face protectors for protection against dust. See Australian/New Zealand Standard AS/NZS 1337 for more information.

## 9 Physical and Chemical Properties

Appearance:	
Form:	Granulate
Colour:	Brown
Odour:	Characteristic
Odour Threshold:	No information available
pH-Value:	No information available
Melting point/freezing point:	>20 °C
Initial Boiling Point/Boiling Range:	No information available
Flash Point:	No information available
Flammability:	Product is not flammable.
Auto-ignition Temperature:	>300 °C
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure:	No information available
Relative Density:	No information available
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	Dispersible
Partition Coefficient (n-octanol/water):	No information available
Solids content:	100.0 %

Page 3/6



according to WHS Regulations

Revision: 06.08.2020

Printing date 06.08.2020

Product Name: DINON 700 WG

(Contd. of page 3)

Page 4/6

## 10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: No further relevant information available.

Incompatible Materials: Oxidising agents and acids.

Hazardous Decomposition Products: Oxides of carbon and hydrocarbons.

## 11 Toxicological Information

## Toxicity:

## Acute Health Effects

Inhalation: No adverse health effects expected.Skin: May cause skin irritation, redness and rash.Eye: May cause eye irritation, redness and lachrymation.Ingestion: Harmful if swallowed.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

### Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

#### Specific Target Organ Toxicity (STOT) - Repeated Exposure: Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No information available

### Existing Conditions Aggravated by Exposure: No information available

### Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for dithianon for a human is 0.007 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 0.66 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2020).

# 12 Ecological Information

## Ecotoxicity:

Aquatic toxicity: Very Toxic to aquatic life with long lasting effects.

Persistence and Degradability: No further relevant information available.

**Bioaccumulative Potential:** No further relevant information available.

Mobility in Soil: No further relevant information available.



according to WHS Regulations

Printing date 06.08.2020

### Product Name: DINON 700 WG

Revision: 06.08.2020

(Contd. of page 4)

Other adverse effects: No further relevant information available.

# **13 Disposal Considerations**

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

### **Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

14 Transport Information	
UN Number ADG, IMDG, IATA	UN3077
Proper Shipping Name ADG, IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
IMDG	SOLID, N.O.S. (Dithianon (ISO)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Dithianon (ISO)), MARINE POLLUTAN
Dangerous Goods Class ADG Class:	9 Miscellaneous dangerous substances and articles.
Packing Group: ADG, IMDG, IATA	ш
Marine pollutant:	Yes Symbol (fish and tree)
EMS Number:	F-A,S-F
Hazchem Code:	2Z
Special Provisions:	274, 331, 335, 375, AU01
Limited Quantities:	5 kg
Packagings & IBCs - Packing Instruction:	P002, IBC08, LP02
Packagings & IBCs - Special Packing Provision	ons: PP12, B3
Portable Tanks & Bulk Containers - Instructio	ons: T1, BK2, BK3
Portable Tanks & Bulk Containers - Special Provisions: TP33	
15 Regulatory Information	
Australian Inventory of Chemical Substances	:
CAS: 3347-22-6 Dithianon (ISO)	
Standard for the Uniform Scheduling of Drug Poisons Schedule: 6	s and Poisons (SUSMP) - Poison Schedule:
Australia: Priority Existing Chemicals	
None of the ingredients is listed.	
16 Other Information	

Prepared by: MSDS.COM.AU Pty Ltd

www.msds.com.au

### Page 5/6



according to WHS Regulations

Printing date 06.08.2020

Product Name: DINON 700 WG

Revision: 06.08.2020

(Contd. of page 5)

Page 6/6

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants) Acute Toxicity (Oral) 4: Acute toxicity - oral – Category 4

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

#### Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - May 2018"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Grochem Australia makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.