#### READ SAFETY DIRECTIONS BEFORE OPENING OR USING

# NAA20

### PLANT GROWTH REGULATOR

FRUIT THINNING AND SETTING COMPOUND. TO ASSIST IN THE PREVENTION OF PRE-HARVEST DROP OF APPLES AND PEARS. MAY ALSO BE USED AS A THINNING SPRAY FOR APPLES AND FOR STRIKING HARD AND SOFTWOOD CUTTINGS.



Active constituent: 20g/L N.A.A. present as the sodium salt.

Batch:

DoM:



SUMITOMO CHEMICAL

NET CONTENTS

5L

REGISTERED TO: AgriNova New Zealand Ltd T/A Grochem 15 Sunlight Grove, Porirua, New Zealand. Telephone 1800 777 068.

**DISTRIBUTED BY:** Sumitomo Chemical Australia Pty Ltd, Level 5, 51 Rawson Street, Epping, NSW 2121. Phone (02) 8752 9000.

APVMA Approval No. 60577 / 1L-20L / 0107



## NAA20

**GENERAL INSTRUCTIONS:** When spraying for the prevention of pre-harvest fruit drop, do not allow fruit to remain on trees beyond normal harvest date otherwise fruit may become over mature. Use a suitable wetter such as Pomade<sup>™</sup> at 125mL/100 L of spray volume. NAA must be absorbed into the tree to be effective. Therefore slow drying conditions after spraying, high volume spraying and the use of wetting agent will enhance effectiveness.

**PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:** DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

#### STORAGE AND DISPOSAL KEEP OUT OF REACH OF

**CHILDREN** Store in the closed, original container in a cool, well ventilated area. Do not store for prolonged periods in direct sunlight.

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to re-cycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS: Avoid contact with eyes and skin. If product on skin, immediately wash area with soap and water. After use and before eating, drinking and smoking, wash hands, arms and face thoroughly with soap and water. When preparing spray wear face shield or goggles, Wash hands after use.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre, phone Australia 13 11 26. If skin contact occurs, remove contaminated clothing and wash skin thoroughly. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

**SAFETY DATA SHEET:** For additional information, refer to SDS available from your supplier.

**EXCLUSION OF LIABILITY:** Unless otherwise expressly stated in writing Sumitomo Chemical Australia Ptv Ltd as distributor on behalf of AgriNova New Zealand does not have any knowledge of the particular use to which the buyer proposes to put this product. In purchasing this product the buyer must rely solely upon their own skill and judgement as to its suitability for the particular purpose for which it is required. Except to the extent that exclusion or denial of liability is prohibited under the Trade Practices Act or any relevant state legislation, Sumitomo Chemical Australia Pty Ltd as the distributor expressly exclude any warranty as to the quality or fitness of any goods sold for any purpose whatsoever and deny all responsibility in contract tort negligence or otherwise for any harm or damage resulting from the use of such goods or from acting on the advice or recommendations as to such use given in good faith by any representative of Sumitomo Chemical Australia Pty Ltd as the distributor. If these conditions are unacceptable to the buyer, the goods should be returned to Sumitomo Chemical Australia Pty Ltd unopened within seven (7) days for refund of purchase price.

## IN A TRANSPORT EMERGENCY Dial 000 POLICE OR FIRE BRIGADE

SPECIALIST ADVICE IN EMERGENCY ONLY CHEMTREC 1800 862 115 ALL HOURS – AUSTRALIA WIDE

#### **APPLICATION RATES:**

GCAU-NAA20/0222

CROP	ACTION	RATE	CRITICAL COMMENTS
Apples and Pears	Assist prevention of pre-harvest fruit drop	1L/2000L of water (10ppm) 500mL/2000L of water (5ppm)	Apply as a high volume spray 12 to 14 days before harvest to thoroughly wet fruit and foliage. A second, half–strength spray (5ppm) may be necessary if conditions favour excessive fruit drop.
Apples	Fruit thinning	250 to 1000mL/2000L of water (2:5–10ppm)	Apply as a high volume spray 10 to 14 days after full bloom to the top two—thirds of the tree for uniform thinning. For specific varieties, consult local Dept. of Agriculture. In Tasmania, apply, particularly to Golden Delicious, from balloon blossom to 7 days after full bloom.
Hard or Softwood cuttings	Root striking	12.5mL to 50mL/10L of water.	Dip base of cutting to depth of 5mm into NAA solution for approximately 5 seconds. Allow to dry and insert half the length of the cutting into striking medium. Use the stronger solution for hardwood cuttings, weaker solution for softwood cuttings.

NOT TO BE USED FOR ANY PURPOSE OR ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD: DO NOT APPLY LATER THAN 1 DAY BEFORE HARVEST.