

Safety Data Sheet

according to WHS Regulations

Printing date 06.08.2020

Revision: 06.08.2020

1 Identification

Product Name: STAMINA**Other Means of Identification:** Mixture**Recommended Use of the Chemical and Restriction on Use:** Agricultural fungicide**Details of Manufacturer or Importer:**Grochem Australia
Suite 1, Lvl 3, 262 Lorimer Street,
Port Melbourne, VIC 3207**Phone Number:** 1800 777 068**Emergency telephone number:** National Poison Information Centre: 13 11 26

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



health hazard

Toxic To Reproduction 2

H361 Suspected of damaging fertility or the unborn child.



environment

Aquatic Chronic 2

H411 Toxic to aquatic life with long lasting effects.



Acute Toxicity (Oral) 4

H302 Harmful if swallowed.

Serious Eye Damage/Irritation 2A

H319 Causes serious eye irritation.

Signal Word Warning**Hazard Statements**

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H361 Suspected of damaging fertility or the unborn child.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Printing date 06.08.2020

Revision: 06.08.2020

Product Name: STAMINA

(Contd. of page 1)

P308+P313	IF exposed or concerned: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures
Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 1332-58-7	Kaolin	40 - 50%
CAS: 88671-89-0	Myclobutanil ⚠ Toxic To Reproduction 2, H361; ⚠ Aquatic Chronic 2, H411; ⚠ Acute Toxicity (Oral) 4, H302; Serious Eye Damage/Irritation 2A, H319	40%
CAS: 1344-95-2	Silicic acid, calcium salt	3 - 5%
CAS: 13463-67-7	Titanium oxide (TiO ₂)	<1%
CAS: 14808-60-7	Quartz (SiO ₂) ⚠ Carcinogenicity 1A, H350; STOT RE 1, H372	<0.5%

4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: No adverse health effects expected.

Skin Contact: May cause skin irritation, redness and rash.

Eye Contact: Causes serious eye irritation, redness and lachrymation.

Ingestion: Harmful if swallowed. May cause gastrointestinal irritation.

5 Fire Fighting Measures

Suitable Extinguishing Media: Use fire extinguishing methods suitable to surrounding conditions.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon, hydrogen cyanide, hydrogen chloride and hydrocarbons.

This product is not flammable, but may burn or decompose in a fire.

Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

(Contd. on page 3)

Safety Data Sheet according to WHS Regulations

Printing date 06.08.2020

Revision: 06.08.2020

Product Name: STAMINA

(Contd. of page 2)

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved dust/particulate filter respirator and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and sweep granules into a pile and shovel into drums for subsequent disposal. Avoid generating dust. Provide adequate ventilation.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Keep away from oxidising agents and acids.

8 Exposure Controls and Personal Protection

Exposure Standards:

CAS: 1332-58-7 Kaolin

WES TWA: 10 mg/m³

CAS: 1344-95-2 Silicic acid, calcium salt

WES TWA: 10 mg/m³

CAS: 13463-67-7 Titanium oxide (TiO₂)

WES TWA: 10 mg/m³

CAS: 14808-60-7 Quartz (SiO₂)

WES TWA: 0.05 mg/m³
respirable dust

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection:

Where an inhalation risk exists, wear a Class P1 (particulate) respirator. At high dust levels, wear a powered air purifying respirator (PAPR) with Class P3 (Particulate) filter or an air-line respirator or a full-face Class P3 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

PVC or rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Printing date 06.08.2020

Revision: 06.08.2020

Product Name: STAMINA

(Contd. of page 3)

Eye and Face Protection:

Eye and face protectors for protection against dust. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form:	Powder
Colour:	Tan coloured
Odour:	Slight
Odour Threshold:	No information available
pH-Value:	7.5 - 8.5
Melting point/freezing point:	No information available
Initial Boiling Point/Boiling Range:	No information available
Flash Point:	No information available
Flammability:	Product is not flammable.
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure at 25 °C:	0.213 mPa
Bulk Density at 23.8 °C:	0.255 g/mL
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	Insoluble
Partition Coefficient (n-octanol/water):	No information available
Viscosity:	No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Heat, sparks, open flames and other sources of ignition.

Incompatible Materials: Oxidising agents and acids.

Hazardous Decomposition Products:

Oxides of carbon, hydrogen cyanide, hydrogen chloride and hydrocarbons.

11 Toxicological Information

Toxicity:**LD50/LC50 Values Relevant for Classification:****CAS: 1332-58-7 Kaolin**

Oral	LD50	>5,000 mg/kg (rat)
------	------	--------------------

CAS: 13463-67-7 Titanium oxide (TiO₂)

Oral	LD50	>20,000 mg/kg (rat)
Dermal	LD50	>10,000 mg/kg (rabbit)
Inhalation	LC50/4 h	6,082 mg/l (rat)

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Printing date 06.08.2020

Revision: 06.08.2020

Product Name: STAMINA

(Contd. of page 4)

CAS: 14808-60-7 Quartz (SiO₂)		
Oral	LD50	500-22,500 mg/kg (rat)

Acute Health Effects

Inhalation: No adverse health effects expected.

Skin: May cause skin irritation, redness and rash.

Eye: Causes serious eye irritation, redness and lachrymation.

Ingestion: Harmful if swallowed. May cause gastrointestinal irritation.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Silica dust, crystalline, in the form of quartz or cristobalite is classified by IARC as Group 1 - Carcinogenic to humans.

Titanium dioxide is classified by IARC as Group 2B - Possibly carcinogenic to humans.

Reproductive Toxicity: Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects:

Prolonged exposure to high levels of respirable quartz may cause lung fibrosis (silicosis).

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for myclobutanil for a human is 0.03 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 2.6 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species.

(Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2020).

12 Ecological Information

Ecotoxicity:

Slightly toxic to birds:

LC50 >5000 mg/kg (Mallard duck)

LC50/14 days 250 mg/kg (Earthworm)

Aquatic toxicity:

Toxic to aquatic life with long lasting effects.

CAS: 13463-67-7 Titanium oxide (TiO₂)	
EC50/48 h	>100 mg/l (daphnia)
EC50/72 h	>10,000 mg/l (skeletonema costatum)
LC50/96 h	>1,000 mg/l (fish)
	>100 mg/l (rainbow trout)

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Printing date 06.08.2020

Revision: 06.08.2020

Product Name: STAMINA

(Contd. of page 5)

CAS: 14808-60-7 Quartz (SiO₂)
LC50/96 h >10,000 mg/l (brachydanio rerio)

Persistence and Degradability: No further relevant information available.**Bioaccumulative Potential:** No further relevant information available.**Mobility in Soil:** No further relevant information available.**Other adverse effects:** No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number	UN3077
ADG, IMDG, IATA	
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Myclobutanil)
ADG, IATA	
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Myclobutanil), MARINE POLLUTANT
Dangerous Goods Class	
ADG Class:	9 Miscellaneous dangerous substances and articles.
Packing Group:	
ADG, IMDG, IATA	III
Marine pollutant:	Yes Symbol (fish and tree)
EMS Number:	F-A,S-F
Hazchem Code:	2Z
Special Provisions:	274, 331, 335, 375, AU01
Limited Quantities:	5 kg
Packagings & IBCs - Packing Instruction:	P002, IBC08, LP02
Packagings & IBCs - Special Packing Provisions:	PP12, B3
Portable Tanks & Bulk Containers - Instructions:	T1, BK2, BK3
Portable Tanks & Bulk Containers - Special Provisions:	TP33

15 Regulatory Information

Australian Inventory of Chemical Substances:	
CAS: 1332-58-7	Kaolin
CAS: 1344-95-2	Silicic acid, calcium salt
CAS: 13463-67-7	Titanium oxide (TiO ₂)
CAS: 14808-60-7	Quartz (SiO ₂)

(Contd. on page 7)

Safety Data Sheet

according to WHS Regulations

Printing date 06.08.2020

Revision: 06.08.2020

Product Name: STAMINA

(Contd. of page 6)

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 5

Australia: Priority Existing Chemicals

None of the ingredients is listed.

16 Other Information**Date of Preparation or Last Revision:** 06.08.2020**Prepared by:** MSDS.COM.AU Pty Ltdwww.msds.com.au**Abbreviations and acronyms:**

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Toxicity (Oral) 4: Acute toxicity - oral - Category 4

Serious Eye Damage/Irritation 2A: Serious eye damage/eye irritation - Category 2A

Carcinogenicity 1A: Carcinogenicity - Category 1A

Toxic To Reproduction 2: Reproductive toxicity - Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term (Chronic). Category 2

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - May 2018"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Grochem Australia makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.