READ SAFETY DIRECTIONS BEFORE OPENING OR USING





GROCHEM Lime Sulphur

FUNGICIDE & INSECTICIDE

ACTIVE CONSTITUENT: 200g/L Sulphur (S) as Polysulphide Sulphur

For the control of certain diseases, insects and mites on Citrus, Grapevines, Ornamentals, Pome and Stone fruits and Vegetables.

As specified in the Directions for Use Table.



DIRECTIONS FOR USE

RESTRAINTS: Do not apply during the growing period to Apricots and Peaches or other sulphur sensitive plants.

Do not apply when freezing weather is predicted, or the air temperature is over 32°C

Do not apply within 2 weeks of an oil spray except as indicated under the compatibility heading.

APPLICATION RATES:

CROP	PEST OR DISEASE	STATE	RATE/100L	CRITICAL COMMENTS
Citrus Grapefruit Oranges Lemons Mandarins, etc	White Louse, Scale	NSW, ACT, Vic, SA & TAS only	10L	Winter Spray: Apply in July and thoroughly wet all parts of the tree.
		Qld only	3.0-6.5L	
	Maori Mite	NSW, Vic, ACT, SA, WA & TAS only	2.5L	Summer Spray: Spray to thoroughly wet leaves.
Grapevines	Bud Mite, Erinose Mite, Rust Mite, Vine Bunch Mite	Vic, WA, SA & Tas only	10L	Apply as near as possible to budburst. Note: Spread of mites is checked by sulphur treatment used for powdery mildew.
		Qld, ACT and NSW only	5L	
	Post Harvest treatment of mites	SA only	2L	As soon as possible after harvest.
Pome Fruit Apples	Black Spot (Scab), Powdery Mildew	All States	5L	Apply during dormant to late bud swell. Note: Lime Sulphur used after late green tip will restrict growth and depress yield. DO NOT use on Delicious or Cox`s Orange Pinnin.
	San Jose Scale	Qld, NSW, ACT, SA, Vic & WA only		
Pears	Black Spot, Broybia Mite, Pear Leaf Blister Mite	All states	5L	Apply during dormant to late bud swell. Note: Lime Sulphur used after late green tip will restrict growth and depress yield.
Stone Fruit Almonds Apricots Peaches Plums Prunes Nectarines	Broybia Mite, Freckle Leaf Curl, Rust Shot Hole	All States	5L	Spray while trees are dormant to the bud swell stage.
	Brown Rot (Blossom Blight), San Jose Scale	Qld, NSW, ACT, SA, Vic & Tas only		
	Frosted Scale	Qld, Vic, SA, WA & TAS only		
Ornamentals Hedges Roses	Two Spotted Mite Powdery Mildew, Rust	All States	1L	Apply as a Summer Spray. Spray to wet leaves and repeat as necessary.
Vegetables Tomatoes	Tomato Mite, Two Spotted Mite, Powdery Mildew, Rust			

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS: Grochem Lime Sulphur fungicide insecticide is readily miscible in water and should be used on the same day as it is mixed.

MIXING: Before using, shake container contents well. Add the required

amount of Grochem Lime Sulphur to the water in the spray tank with stirring or agitation. Agitate while spraying. DO NOT mix Grochem Lime Sulphur with acidic water of pH below 4.

APPLICATION: Spray in the cool of the day. The spray mixture should be used on the same day it is mixed with water. DO NOT apply when freezing weather is predicated or the air temperature is over 32 degrees Celsius.

DO NOT apply product within 2 weeks of an oil spray except as indicated under the compatibility statement below.

COMPATIBILITY: Grochem Lime Sulphur may be mixed with winter oil for use on Pome and Stone fruit during the dormant to semi-dormant stages only. For details consult the label of winter oil. Grochem Lime Sulphur has a limited compatibility with other pesticides and the use of any mixture is entirely at the users risk.

PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS: DO

NOT apply under weather conditions, or from spraying equipment, that may cause spray to drift onto nearby susceptible plant/crops, cropping lands or pastures.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL: KEEP OUT OF REACH OF CHILDREN. Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight.

Triple rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, State or Territory government regulations. DO NOT burn empty container or product

SAFETY DIRECTIONS: Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling. Use only outdoors or in a well-ventilated area.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection Specific treatment is advised – see first aid instructions. Take off contaminated clothing and wash before re-use.

FIRST AID:

IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTRE phone Australia 13 11 26 or doctor/physician if you feel unwell.

If skin or eve irritation occurs: Get medical advice/ attention.

SAFETY DATA SHEET: For additional information, refer to SDS available from your supplier.

Additional statements as required by Safe Work Australia in accordance with the Globally Harmonized System of Classification and Labelling (GHS)

WARNING:

Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. Harmful to aquatic life. Contact with acids liberates toxic gas.

CONDITIONS OF SALE: This high quality product is suitable for the purpose advised on the label but as Grochem cannot exercise control over mixing or applications, all conditions and warranties, as to its use for any purpose, are excluded and no responsibility will be accepted by Grochem for any damage or injury whatsoever arising from its storage or application.

In transport emergency dial 000. Police or Fire Brigade. For specialist advice in an emergency only, call 1800 777 068, 24 Hours.

REGISTERED TO: Agrinova New Zealand Ltd, PO Box 50 080, 15 Sunlight Grove, Porirua, New Zealand. Phone: 1800 777 068. Email: grochem@ grochem.com

DISTRIBUTED BY:



Grochem Australia. Suite 1, Level 3, 262 Lorimer St, Port Melbourne, VIC 3207. Telephone: 1800 777 068